

FIG. 1




FIG. 2

3/14






FIG. 3



Shopper Paths - Conventional Configuration

FIG. 4







FIG. 6



7/14




FIG. 10




Fig. 11

8/14




FIG. 12






FIG. 13







			OTDID CLICODING		MALL SHOPPING		
			STRIP SHOPPING				
		CHECKOUT	CONVENTIONAL	DRIVE AISLE		DRIVE AISLE	
		ALL STORES	STORE 1	STORE 2	STORE 3	STORE 4	
	N =	2000	500	500	500	500	
		VISITS					
FRONT	1	100%	100%	100%	100%	100%	
RIGHT	2	XX%	XX%	XX%	XX%	XX%	
BACK	3	XX%	XX%	XX%	XX%	XX%	
LEFT	4	XX%	XX%	XX%	XX%	XX%	
CENTER	5	XX%	XX%	XX%	XX%	XX%	
				SHOPPING			
FRONT	1	XX%	XX%	XX%	XX%	XX%	
RIGHT	2	XX%	XX%	XX%	XX%	XX%	
BACK	3	XX%	XX%	XX%	XX%	XX%	
LEFT	4	XX%	XX%	XX%	XX%	XX%	
CENTER	5	XX%	XX%	XX%	XX%	XX%	
<u> </u>		PURCHASES					
FRONT	1	XX%	XX%	XX%	XX%	XX%	
RIGHT	2	XX%	XX%	XX%	XX%	XX%	
BACK	3	XX%	XX%	XX%	XX%	XX%	
LEFT	4	XX%	XX%	XX%	XX%	XX%	
CENTER	5	XX%	XX%	XX%	XX%	XX%	

FIG. 16






FIG. 17




FIG. 18




FIG. 19




FIG. 20